Dotec-Audio DeeSubBass
User's Guide

About DeeSubBass

Thank you for choosing Dotec-Audio DeeSubBass.
DeeSubBass is a VST/AU plugin with following features:

●Select a song key to automatically generate a sub bass.(MIDI support)
●DRIVE gives the sub bass overtones with fat overdrive.
●High-pass filter adjusts the crossover with the original sound.
●High-precision oscillator that calculates waveforms with 64-bit double precision.

Installation on Windows OS

1. Those plug-ins are provided as a .dll and .vst3 and .aaxplugin folder（AAX）.
2. To install the plug-ins, simply copy it to your system's shared VST or VST3 or AAX folder.
   AAX folder : *C:¥Program Files¥Common Files¥Avid¥Audio¥Plug-Ins*
3. If you're not sure where that is, please consult your music software's documentation.
4. If your music software is already running, you'll probably need to quit and restart if before the plugin is recognised.

Installation on MacOS

1. Those plug-ins are provided as a .vst (VST) and .component (AU) files and .aaxplugin （AAX）files.
2. To install the plug-ins, open "**install.pkg**" and follow the installer instructions.
3. If your music software is already running, you'll probably need to quit and restart before the plugin is recognised.

Panel Description

Enable/Disable Switch (Lightning Switch)
Enables/Disables DeeSubBass.

LEVEL
An amount of SubBass

DRIVE
An amount of overdrive to SubBass. It adds overtones.

HPF
High pass filter to original sound.
It is useful for splits original bass and sub bass.

KEY
Select the key of the song from the keyboard button.
Normally, you choose the root key or 5th.
A is selected by default.
Also you can change it by MIDI note data due to assign MIDI track.
Please refer to each manual of DAW to assign MIDI track.

How to Register

The DOTEC-AUDIO product becomes the "**product version**" by registering the serial key and e-mail address in the "**demo version**".
This section describes how to register the serial key you purchased.

Step 1

You can register serial key by clicking registration button.

Step 2

This window will be displayed.
Please enter a serial key and your email address in the textbox and click OK button.
* The registration requires an internet connection.