

Dotec-Audio COMBO PACK

User's Guide

About COMBO PACK

Thank you for choosing Dotec-Audio COMBO PACK.

This package includes “Maximizer **DeeMax**”, “Auto compressor **DeeFat**”, “Auto leveler **DeeTrimX**”, “Equalizer **DeeEQ**”.

Installation on Windows OS

1. Those plug-ins are provided as a .dll and .vst3 and .aaxplugin folder (AAX).
2. To install the plug-ins, simply copy it to your system's shared VST or VST3 or AAX folder.
AAX folder : *C:\Program Files\Common Files\Avid\Audio\Plug-Ins*
3. If you're not sure where that is, please consult your music software's documentation.
4. If your music software is already running, you'll probably need to quit and restart it before the plugin is recognised.

Installation on MacOS

1. Those plug-ins are provided as a .vst (VST) and .component (AU) files and .aaxplugin (AAX) files.
2. To install the plug-ins, open “**install.pkg**” and follow the installer instructions.
3. If your music software is already running, you'll probably need to quit and restart it before the plugin is recognised.

About DeeMax

DeeMax is a VST plugin with following features:

- You can easily add loudness without disturbing the taste. Only one slider will control everything.
- Can get fat saturation when you increase the slider
- Can be used in LIVE situation since DeeMax runs fast and works gracefully

Panel Description



Enable/Disable Switch (Lightning Switch)

Enables/Disables DeeMax.

LEDdisplay

Display the value in % or dB(changed by click)

MAX

Add loudness

TURBO switch

Turn on to add more punchy sound

SAFE switch

Excessive saturation will be watched by real time and corrected smoothly.

MONITOR switch


Constant volume level. It useful for monitoring the difference of sound.

About DeeFat

DeeFat is a VST plugin with following features:

- Only one slider will control compressor to get FAT sounds.
- Can be used in LIVE situation since DeeFat runs fast and works gracefully

Panel Description



Enable/Disable Switch (Lightning Switch)

Enables/Disables DeeFat.

FAT

When a slider is lowered, the effect becomes strong.(0 to 100%)

BASS ENHANCER

Change Bass enhance level.

About DeeTrimX

This plug-in can automatically adjust the output level from -12 to 0 dB. It stabilizes the volume level from uneven to the target level.

Panel Description



ENABLE button (lightning bolt symbol):.

Enables DeeTrimX. Off bypasses it.

OUTPUT:

Indicates output volume (dB)

LEVEL:

Adjusts the target volume (-12dB to 0dB)

SENSE:

Adjusts the sensitivity to the noise floor or breath

AMOUNT:

Adjusts the strength of the automatic adjustment.

SIDE CHAIN:

Adjusts the influence of the side-chain input.

The target volume is automatically increased when the side-chain input exceeds the target level. This is useful for giving a rhythmic inflection when singing.

About DeeEQ

DeeEQ is a VST/AU plugin with following features:

DeeEQ is possible to equalizing with the impact only raise or lower the slider.
Can be setting the treble side, the bass side intuitively .



Enable/Disable Switch (Lightning Switch)

Enables/Disables DeeFat.

EQ

Up to boost, and down to cut. .(-100 to 100%)

TONE

Right to treble(High), and left to bass(Low).

How to Register

The DOTEK-AUDIO product becomes the "**product version**" by registering the serial key and e-mail address in the "**demo version**".

This section describes how to register the serial key you purchased.

Step 1



You can register serial key by clicking registration button.

Step 2

A screenshot of a 'Registration' dialog box. The title bar says 'Registration'. Inside, it says 'Please enter the serial key and your e-mail address for the registration.' There are three input fields: 'Serial key', 'E-mail address', and 'E-mail address(Verify)'. Each field has a red arrow pointing to it. At the bottom, there are three buttons: 'Open the shopping page', 'Cancel', and 'OK'. The 'OK' button is highlighted with a red rectangle.

This window will be displayed.

Please enter a serial key and your email address in the textbox and click OK button.

*** The registration requires an internet connection.**