

Dotec-Audio DeeFX

User's Guide

About DeeFX

Thank you for choosing Dotec-Audio DeeFX.

DeeFX is a VST/AU plugin with following features:

- Impacted effect processing just by moving the slider up and down.
- Intuitive operation like DJ effector, Guitar pedals.
- Distortion destroys the sound extremely and FAT.
- Very edgy Filter can be sync with delay.
- Improvised tempo sync delay which can also be reversed
- **New!** You can slowdown & stop the sound like a vinyl by only clicking.
- **New!** You can choose Distortion or BitCrusher.


Installation on Windows OS

1. Those plug-ins are provided as a .dll and .vst3 and .aaxplugin folder (AAX).
2. To install the plug-ins, simply copy it to your system's shared VST or VST3 or AAX folder.
AAX folder : *C:\Program Files\Common Files\Avid\Audio\Plug-Ins*
3. If you're not sure where that is, please consult your music software's documentation.
4. If your music software is already running, you'll probably need to quit and restart if before the plugin is recognised.

Installation on MacOS

1. Those plug-ins are provided as a .vst (VST) and .component (AU) files and .aaxplugin (AAX) files.
2. To install the plug-ins, open “**install.pkg**” and follow the installer instructions.
3. If your music software is already running, you'll probably need to quit and restart before the plugin is recognised.

Panel Description



(1) Enable/Disable Switch (Lightning Switch)

Enables/Disables DeeFX.

(2) DISTORTION ON:

Enables/Disables distortion.

(3) DISTORTION LEVEL:

Strongly distort when raising it up.

(4) FILTER ON:

Enables/Disables filter.

(5) FILTER LEVEL:

Up will be high pass, down will be low pass.

(6) DELAY LINK:

When turn it on, synchronize the depth of the delay.

(7) DELAY ON:

Enables/Disables delay.

(8) DELAY LEVEL:

The delay to deepen when raising it up.

(9) REVERSE:

The sound of the delay will be played back in reverse.

(10) X2, 1/2:

The delay time will be doubled, half.

(11) DELAY LINK

The left and right delay times are synchronized.

(12) DELAY TIME:

Specify the length of the delay independently on the left and right. The tempo is synchronized with the host application.

(13) VINYL STOP: New!

When click gears & shaft, You can slow down & stop the sound like a vinyl. Length is 1/8, 1/4, 1/2.

(14) DISTORTION MODE: New!

When click display, You can choose distortion or BitCrusher.

How to Register

The DOTEK-AUDIO product becomes the "**product version**" by registering the serial key and e-mail address in the "**demo version**".

This section describes how to register the serial key you purchased.

Step 1



You can register serial key by clicking registration button.

Step 2

A screenshot of the 'Registration' dialog box. The title is 'Registration'. The text inside says 'Please enter the serial key and your e-mail address for the registration.' There are three input fields: 'Serial key', 'E-mail address', and 'E-mail address(Verify)'. Each field has a red arrow pointing to it. At the bottom, there are three buttons: 'Open the shopping page', 'Cancel', and 'OK'. The 'OK' button is highlighted with a red rectangle.

This window will be displayed.

Please enter a serial key and your email address in the textbox and click OK button.

*** The registration requires an internet connection.**